

AM

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>
	09/683,152	PARLEE ET AL.
	Examiner	Art Unit
	Ronald W Leja	2836

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the amendment of 11/10/03.
  2.  The allowed claim(s) is/are 11-24.
  3.  The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
  4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
    - a)  All
    - b)  Some\*
    - c)  None
 of the:
    1.  Certified copies of the priority documents have been received.
    2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- \* Certified copies not received: \_\_\_\_\_.
5.  Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
    - (a)  The translation of the foreign language provisional application has been received.
  6.  Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**
7.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  8.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1)  hereto or 2)  to Paper No. \_\_\_\_\_.
    - (b)  including changes required by the proposed drawing correction filed \_\_\_\_\_, which has been approved by the Examiner.
    - (c)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. 11/25/03.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

9.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- |   |  |
|---|--|
| <input type="checkbox"/> Notice of References Cited (PTO-892)   | <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)                     |
| <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | <input checked="" type="checkbox"/> Interview Summary (PTO-413), Paper No. <u>11/25/03</u> . |
| <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No. _____  | <input checked="" type="checkbox"/> Examiner's Amendment/Comment                             |
| <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material | <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance            |
|   | <input type="checkbox"/> Other   |



Ronald W. Leja  
Primary Examiner  
Art Unit: 2836

11/25/03

1. An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to Applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

IN THE DRAWINGS:

See the attachment of Figure 1 wherein it has been amended by the Examiner, as "Prior Art".

IN THE CLAIMS:

Claim 11, line 2, change "an" to -- a residential or business -- and in line 11, change "capacitive" to -- band pass filter --.

Claim 17, line 1, after "A" insert -- residential or business -- and replace "load center" with -- electrical distribution panel -- and in lines 3 & 7, change "load center" with -- electrical distribution panel --.

In each of the Claims 18-23, line 1, change "load center" to -- electrical distribution panel --.

Claim 21, line 2, change "load center" to -- electrical distribution panel --.

Authorization for this Examiner's Amendment was given in a telephone interview with James J. Merrick on 11/25/03.

2. The following is an Examiner's Statement of Reasons for Allowance: Applicant's arguments of 11/10/03 have been considered and the arguments found on Page 10, of the Response, were considered to be very convincing. The arguments are drawn to the Abraham Reference

(5,625,863) and wherein the only disclosure/teaching of communication between phase lines or between "high potential lines" as required by the instant claim language is in a "general case" and those are taught as being "disposed outside of the residence". The instant claim language not only requires the transferring of signals across at least two high potential lines, but further requires the claimed combination to be within the residence i.e. Claim 11 requires "a residential or business electrical distribution panel" and Claim 17 requires "a residential or business multiphase electrical distribution panel" which has "a plurality of branch circuit breakers". It is therefore, the opinion of the Examiner that there does not appear to be strong motivation to combined the Prior Art of Record to achieve the claimed combinations of Independent Claims 11 and 17.

Any comments considered necessary by Applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ronald W Leja whose telephone number is (703) 308-2008. The examiner can normally be reached on Monday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Sircus can be reached on (703) 308-3119. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Application/Control Number: 09/683,152

Page 4

Art Unit: 2836

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

  
Ronald W. Leja  
Primary Examiner  
Art Unit 2836

rw1

November 25, 2003

11/25/03